engineering innovations worldwide



Manipulators + Carts
Collection



esmo semicon manipulators, carts, and test floor equipment – top cost | performance ratio for most reliable testing

All esmo semicon manipulator products come with standardized features for easy integration into all test floor environments, including engineering, wafer sort, and

final test, with all test system and mating equipment types. Upon request, optional features are available for specific test cell and mating equipment requirements.

esmo design specialists can develop individual solutions for adapting and integrating test head manipulators and mechanical interfacing systems into test cells for front-end and back-end testing. Based on an extensive determination and definition of requirements in collaboration with the customer, esmo provides comprehensive services, from selecting suitable equipment to completely new designs, to create optimized and highly efficient test cells.

quick and easy test head installation

arm systems with left or right set-up options

official certifications ensuring first-class quality

active cable management for optimized handling

motorized or manual operation options for all motions

modular configurations catering to individual requirements

configurable for all test heads with minimized footprint

esmo force control system guarantees high-level safety for operators and equipment

esmo's all in one service | packages

Specialized and experienced staff to provide excellent design and technical support.

Reduction of inadvertent damage to testing hardware caused by operating errors.

Smart design, high-quality production, state-of-the-art products, virtually maintenance-free.

Quick return on investment, reduced set-up times, increased test yields, and long-term value.

Exceptionally short design and lead times plus customized installation/training services.

ideal solutions tailored to meet your specific needs

Universal Manipulators

leto

universal test manipulator up to 90 kg / 198 lbs

for prober and handler

docking with lowest possible floor space



- · large range of motion in relation to manipulator size
- · easy motion for all linear and rotatable motions
- \cdot designed as per customer specifications
- \cdot several upgrades like rotation gear / keyboard and pc holder possible

lightweight tailor-made design

pegasus

universal test manipulator up to 160 kg / 353 lbs

for prober and handler docking



- · easy motion for all linear and rotatable motions
- · high range of motion in x / y-axes
- · durable + robust design
- · optimized footprint for various small test heads
- · several linear- and rotate motions available
- · several upgrades like keyboard and pc holder possible

small + conveniant solution

bestselling

manipulator

ikarus

universal test manipulator up to 300 kg / 661 lbs

for prober and handler docking



- \cdot easy motion for all linear and rotatable motions
- · motor-assisted motion for z-axes + twist axes available
- · different swing configurations possible
- · different linear footings available
- · durable + robust design
- $\cdot \ \text{optimized footprint for various test heads} \\$
- · several linear- and rotate motions available
- · several upgrades like rotation gear / keyboard and pc holder

kronos

universal test manipulator up to 400 kg / 882 lbs

for prober and handler docking



- \cdot easy motion for all linear and rotatable motions
- · motor-assisted motion for z-axes, twist axes + tumble axes available
- · different linear footings available
- · durable + robust design
- · optimized footprint for various test heads
- \cdot several linear- and rotate motions available
- several upgrades like rotation gear \slash keyboard and pc holder possible

durable + robust design

esMP4 plus

universal test Manipulator up to 450 kg / 992 lbs

for prober and handler docking



- \cdot easy motion for all linear and rotatable motions
- \cdot motor-assisted motion for z-axes, twist axes and tumble axes available
- · column rotation for maximum range of motion (90°–360°)
- · durable + robust design
- $\cdot \ \text{optimized footprint for various test heads} \\$
- · several linear- and rotate motions available
- · several upgrades like rotation gear / keyboard and pc holder possible

easy motion easy handling

Universal + Final Test Manipulators

orion

universal test Manipulator up to 500 kg / 1102lbs

for prober and handler docking



- · various linear footings available
- · motor-assisted motion for z-axes / x-axes and twist axes available
- · different swing configurations possible
- · durable + robust design
- · several linear and rotate motions available
- · several upgrades like keyboard and pc holder possible

multi-Jirectional movings

pallas

universal test manipulator up to 750 kg / 1651 lbs

for prober and handler docking

docking with lowest possible floor load



- \cdot no counterweight floorload reduction up to 40%
- · motorized motion for z-axes / x-axes and twist axes
- force feedback control ensuring operator safety + protecting equipment
- · durable + robust design
- · optimized footprint for various large test heads
- · several linear- and rotate motions available
- · several upgrades like keyboard and pc holder possible

next generation manipulator

neptune evolution

hinge Manipulator up to 650 kg / 1433 lbs

for prober docking



- \cdot with motorized motion for z-axes and hinge axes
- · one button control for easy operation
- · full automated work sequences + individual docking height settings
- password-protected control options for operator
 + docking modes
- · durable + robust design
- \cdot several linear- and rotate motions available
- · several upgrades like keyboard and pc holder possible

strong hinge with z-axis

ares

final test manipulator up to 250 kg / 551 lbs

for handler

docking with lowest possible floorload



- \cdot motorized motion for z-axes no counterweight
- force feedback control ensuring operator safety
 protecting equipment
- \cdot durable + robust design
- · optimized footprint for various test heads
- \cdot several linear- and rotate motions available

docking with lowest possible floorload

ares plus

final test cart up to 500 kg / 1102 lbs

for handler

docking with lowest possible floorload



- · motorized motion for z-axes no counterweight
- · force feedback control ensuring operator safety + protecting equipment
- · durable + robust design
- \cdot optimized footprint for various test heads
- · several linear- and rotate motions available

docking with lowest possible floorload

Mobile Lifting | (Final Test) Carts | Trolleys | Test Floor Equiment

phoenix cart

final test cart up to 250kg / 551 lbs

for handler

docking with lowest possible floor space



- \cdot effective solution for DUT horizontal and vertical docking
- · mobile design with manually driven z-axes
- \cdot floating test head mounting by automatic spring system
- · several linear- and rotate motions available
- \cdot several upgrades like keyboard and pc holder possible

lupo cart

all-in-one for transport | installation | handling



- · mobile and multi-functional lifting / handling unit
- · effective handling / manually lifting solution for handler equipment
- · quick and easy exchange of carrier assemblies

aurora cart

all-in-one for transport | installation | handling



- · wireless, battery powered motor-assisted motion for z-axes
- \cdot effective handling / lifting solution for Prober and test head equipment
- $\cdot \, \text{quick and easy exchange of carrier assemblies} \\$
- · multifunctional grippers with quick change system available

engineering carts



- $\cdot \ functional \ assembly + mobile \ cart \ for \ various \ test \ head \ types$
- $\cdot \ \text{effective solution for engineering} \\$
- \cdot several upgrades like rotation gear / keyboard and pc holder possible

trolleys | test floor equipment



- $\cdot \ facilitating \ assembly + transportation$
- · preventing potential damage
- $\cdot \ \text{flexible cable guiding} \\$

here for you, wherever you are: worldwide sales + service network





esmo Europe
Rosenheim

esmo AG Brueckenstrasse 1 83022 Rosenheim Germany

P +49 (8031) 233 88 0 F +49 (8031) 233 88 10

sales@esmo-ag.com

esmo USA Sacramento

esmo USA Corp. 1020 Winding Creek Road Suite #120 Roseville, California 95678 USA

P +1 (916) 307 6345 F +1 (916) 307 6341 sales@esmo-usa.com

esmo Asia Singapore

esmo Asia Pte. Ltd. 115 Eunos Avenue 3 #05-03 Singapore 409839 Singapore

P +65 (656) 288 57 F +65 (656) 288 60 sales@esmo-asia.com

esmo China Shanghai

esmo Asia North Co. Ltd. Building 5-6 N. 388 Xin Run Rd. Xin Qiao Industrial Zone Song Jiang District 201612 Shanghai · China

P +86 (21) 5768 7228 + ex. 201 F +86 (21) 5768 7132 info@esmo-ag.com.cn

esmo Taiwan Zhubei

esmo TW Ltd. Co. 9F., No. 247, Dong Sec. 1, Guangming 6th Rd., Zhubei City · Hsinchu County 302044 · Taiwan (R.O.C.)

M +886 932-290-662 M +886-988-313-705 sales@esmo-asia.com